

1830 liter tank in Acid-proof 316





199 000 SEK /st exkl moms

Additional information: Pharmaceutical chemistry; Half-coil, Aisi 304 in the lower cylinder area; hand hole diameter approx. 200 mm; 1 slightly larger and several small dents in the insulation jacket; Outlet fitting incomplete; some residues of previous content

Volumetric volume (L): 1.830 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 4 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 200 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 26 L

Max Overpressure: 16 Bar

Max onderdruk: 1 Bar

Max. working temperature: 200 °C

Type HE on the cylinder: half pipe welded onto the outside of the innertank

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: available

Agitator: yes

Number of revolutions: 50 - 500

Power: 0,75

Cylinder: 5 mm

Bottom: 5,40 mm



Internal diameter tank: 1.200 mm

Outer diameter tank: 1.460 mm

Cylinder height: 1.287 mm

Total height of tank: 2.650 mm

SKU: 405131

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: isolert med varmeveksler

Max. Service Temperature: 200 °C

Mobile Tank: No, it is not.

Övrig information: Pharmaceutical chemistry; Half-coil, Aisi 304 in the lower cylinder area; hand hole diameter approx. 200 mm; 1 slightly larger and several small dents in the insulation jacket;

Outlet fitting

Additional Information2: incomplete; some residues of previous content; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Agitator: Yes

Overpressure: 4 bars

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 1830

Equipment

Product Dokument finns: No

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316



Tank Dimensions

Cylinder Height: 1.287 mm
Internal diameter: 1.200 mm
Total Height: 2,650 mm
Outer diameter: 1.460 mm

Stirrer

Power (kW): 0,75
Speed (RPM): 50 – 500

Tjocklek på tank

Bottom: 5,40 mm
Cylinder: 5 mm

Mer

Isolated: Yes