

19000 liters tank in Stainless 304



134 000 SEK /st exkl moms

Additional information: dairy; dents in the inner cylinder (see pictures); manhole 410 x 510 mm; some residues of previous content; pipe end cut flush

Volumetric volume (L): 19.000 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: 65

Agitator: yes

Number of revolutions: 470

Power: 1,20

Internal diameter tank: 2.520 mm

Outer diameter tank: 2.650 mm

Cylinder height: 3.720 mm

Total height of tank: 5.800 mm

Empty weight tank: 1.850

SKU: 395171

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated with heat-exchanger

Mobile Tank: No, it is not.

Övrig information: dairy; dents in the inner cylinder (see pictures); manhole 410 x 510 mm; some residues of previous content; pipe end cut flush; we can't give any guarantees about the heating/cooling jacket; we can't

Additional Information2: give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 19000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 3.720 mm

Internal diameter: 2,520 mm

Total Height: 5,800 mm

Outer diameter: 2,650 mm



Stirrer

Power (kW): 1,20

Speed (RPM): 470

Mer

Isolated: Yes

Weight: 1.850