

200 liter tank in Acid-proof 316



62 000 SEK /st exkl moms

Additional information: Pharmacy; Tank screwed onto a mobile frame, Aisi 304; 1 pump on the frame is included in delivery

Volumetric volume (L): 200 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)



Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Max Overpressure: 3 Bar

Max. working temperature: 100 °C

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: available

Agitator: yes

Number of revolutions: 1.415

Power: 1,50

Cylinder: 3 mm

Bottom: 3 mm

Internal diameter tank: 670 mm

Outer diameter tank: 750 mm

Cylinder height: 550 mm

Total height of tank: 1.900 mm

Total outer width: 850 mm

Total outer length: 1.400 mm

SKU: 482299



Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated with heat-exchanger

Mobile Tank: No, it is not.

Övrig information: Pharmacy; Tank screwed onto a mobile frame, Aisi 304; 1 pump on the frame is included in delivery; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about

Additional Information2: the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 200

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 550 mm

Internal diameter: 670 mm

Total Height: 1.900 mm

Outer diameter: 750 mm



Stirrer

Power (kW): 1,50

Speed (RPM): 1.415

Tjocklek på tank

Bottom: 3 mm

Cylinder: 3 mm

Mer

Isolated: Yes