

200 liter tank in Acid-proof 316



206 000 SEK /st exkl moms

Additional information: Pharmacy; Vessel stands on load cells (4 pcs.); vessel height as per drawing without agitators; anchor agitator with wall scrapers

Volumetric volume (L): 200 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 4 Bar



Min. pressure (Bar): 1 Bar

Max. temperature (°C): 150 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 12 L

Max Overpressure: 4 Bar

Max. working temperature: 150 °C

Type HE on the bottom: half pipe welded onto the outside of the innertank

Type HE on the cylinder: half pipe welded onto the outside of the innertank

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: clamp

Agitator: yes

Internal diameter tank: 708 mm

Cylinder height: 530 mm

Total height of tank: 1.100 mm

SKU: 565217



Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: insulated with heat-exchanger

Max. Service Temperature: 150 °C

Mobile Tank: No, it is not.

Övrig information: Pharmacy; Vessel stands on load cells (4 pcs.); vessel height as per drawing without agitators; anchor agitator with wall scrapers; we can't give any guarantees about the heating/cooling jacket; we

Additional Information2: can't give any guarantees about the agitator

Agitator: Yes

Overpressure: 4 bars

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 200

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316



Tank Dimensions

Cylinder Height: 530 mm

Internal diameter: 708 mm

Total Height: 1.100 mm

Mer

Isolated: Yes