

200 liter tank in stainless steel 304





32 000 SEK /st exkl moms

Additional information: Food industry; Diameter handhole approx. 200 mm

Volumetric volume (L): 200 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 100 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: available

Agitator: yes

Number of revolutions: 251

Power: 0,37

Internal diameter tank: 620 mm

Cylinder height: 650 mm

Total height of tank: 1.750 mm

Empty weight tank: 300

SKU: 435416



Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Max. Service Temperature: 100 °C

Mobile Tank: No, it is not.

Övrig information: Food industry; Diameter handhole approx. 200 mm; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 200

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 650 mm

Internal diameter: 620 mm

Total Height: 1.750 mm



Stirrer

Power (kW): 0,37

Speed (RPM): 251

Mer

Isolated: No

Weight: 300