

2000 liter tank in 304 stainless steel



86 000 SEK /st exkl moms

Article type: second-hand

Additional information: manway 265mm x500mm; we can't give any guarantees about the agitator

Volumetric volume (L): 2.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Top type: flat

Shape of tank: cylindrical

Bottom type: conical

Total discharge: no

Fixation points: 3 non adjustable feet

Type of HE on the cylinder: dimple-jacket

Position HE: the lower part of the cylinder

Height HE: 1.200 mm

Water pressure HE: 2 Bar

Type of HE on the bottom: dimple-jacket

Water pressure HE: 2 Bar

Heat exchanger: RVS 304

Manway(s): RVS 304

Fixation point(s): RVS 304

Suitable for food industry: yes



Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Height manhole 1 (mm): 265 mm x H 500 mm

Hinged lid: yes

Agitator: yes

Agitator type: propeller agitator

Position engine: at the top

Number of revolutions: 195

Top: 5 mm

Cylinder: 2,50 mm

Bottom: 3 mm

Tank capacity top cylinder: 2.208 L

Outer diameter tank: 1.250 mm

Cylinder height: 1.800 mm

Total height of tank: 2.440 mm

Empty weight tank: 600

SKU: 387092

Mer information



Product Description

Food-grade: Yes

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single jacketed with heat-exchanger

Mobile Tank: No, it is not.

Övrig information: manway 265mm x500mm; we can't give any guarantees about the agitator

Agitator: Yes

Tank Shape: cylindrical

Complete Drainage: No, it is not.

Bottom Type: conical

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 2000

Equipment

Product Dokument finns: No

Agitator flange: No

Nameplate: No, it is not.

Food-grade: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Fixing point(s): RVS 304

Tank Dimensions

Cylinder Height: 1.800 mm

Total Height: 2,440 mm

Outer diameter: 1.250 mm



Heat exchangers

Height of heat exchanger: 1.200 mm

Position värmeväxlare: the lower part of the cylinder

Type of Heat Exchanger on Cylinder: dimple jacket

Bottom Heat Exchanger Type: dimple jacket

Water Pressure Heat Exchanger: 2 bars

Water Pressure Heat Exchanger Bottom: 2 bars

Stirrer

Motor Position: at the top

Agitator Type: propeller agitator

Speed (RPM): 195

Tjocklek på tank

Bottom: 3 mm

Cylinder: 2,50 mm

Top: 5 mm

Mer

Heat Exchanger: RVS 304

Isolated: No

Weight: 600