

2000 liter tank in 304 stainless steel



32 000 SEK /st exkl moms

Article type: second-hand storage tank

Volumetric volume (L): 2.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: conical



Shape of tank: cylindrical
Bottom type: conical
Total discharge: yes
Fixation points: 3 non adjustable feet
Manway(s): RVS 304

Gasket manway(s): unknown
Suitable for food industry: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: no

Flange for agitator: no
Number of manways: 2
Position of manway: at the top
Height manhole 1 (mm): 395 mm
Position 2nd manway: cylinder

Height manhole 2 (mm): 415 x 305 mm
Tank outlet: inside Ø 40 mm
Outlet type: DIN11851 female
Total outlet valve: no
Agitator: no, optional

Top: 1,50 mm
Cylinder: 1,50 mm
Bottom: 1,50 mm
Distance from outlet to ground: 370 mm
Outer diameter tank: 1.295 mm

Cylinder height: 1.500 mm
Total height of tank: 2.500 mm
Empty weight tank: 600

SKU: 382001



Mer information

Product Description

Food-grade: Yes
Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: single-skin
Mobile Tank: No, it is not.
Agitator: No
Tank Shape: cylindrical
Complete Drainage: Yes
Bottom Type: conical
Heating / Cooling: No
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 2000

Equipment

Product Dokument finns: No
Agitator flange: No
Nameplate: No, it is not.
Food-grade: Yes
Tank Outlet: inside Ø 40 mm
Technical Drawing Available: No, it is not.
Outlet Type: DIN11851 female
Outlet Valve: No, it is not.

Material Overview

Material: Stainless steel 304



Tank Dimensions

Cylinder Height: 1.500 mm

Outlet Height to Ground: 370 mm

Total Height: 2.500 mm

Outer diameter: 1.295 mm

Tjocklek på tank

Bottom: 1,50 mm

Cylinder: 1,50 mm

Top: 1,50 mm

Mer

Isolated: No

Weight: 600