


2000 liter tank in 304 stainless steel



41 000 SEK /st exkl moms

Article type: second-hand storage tank

Volumetric volume (L): 2.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Top type: dished



Shape of tank: cylindrical

Bottom type: dished

Bottom outlet: yes

Total discharge: yes

Fixation points: 3 non adjustable feet

Type of HE on the cylinder: dimple-jacket

Position HE: the middle part of the cilinder

Water pressure HE: 2 Bar

Manway(s): RVS 304

Gasket manway(s): unknown

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: cylinder

Height manhole 1 (mm): 430 mm x H 330 mm

Tank outlet: inside Ø

Outlet of tank: DN40

Agitator: no

Distance from outlet to ground: 160 mm

Outer diameter tank: 1.210 mm

Cylinder height: 2.100 mm

Total height of tank: 2.600 mm

Empty weight tank: 700

SKU: 487683



Mer information

Product Description

Food-grade: Yes
Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: single jacketed with heat-exchanger
Mobile Tank: No, it is not.
Agitator: No
Tank Shape: cylindrical
Complete Drainage: Yes
Bottom Type: dish
Heating / Cooling: Yes
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 2000

Equipment

Product Dokument finns: No
Agitator flange: No
Nameplate: No, it is not.
Food-grade: Yes
Tank Outlet: inside Ø
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304
Fixing point(s): RVS 304



Tank Dimensions

Cylinder Height: 2.100 mm

Outlet Height to Ground: 160 mm

Total Height: 2.600 mm

Outer diameter: 1.210 mm

Heat exchangers

Position värmeväxlare: the middle part of the cilinder

Type of Heat Exchanger on Cylinder: dimple jacket

Water Pressure Heat Exchanger: 2 bars

Mer

Isolated: No

Weight: 700