2000 liter tank in 304 stainless steel

18 000 SEK /st exkl moms

Additional information: Paint factory; Tanks slightly out of round; minor differences in design possible; Parts of the butterfly tap are lower than the lower bottom (take this into account when setting up the tanks); Butterfly taps mostly curved upwards; Tanks partly with dents; some residues of previous content
Volumetric volume (L): 2,000 L
Pressure in tank: ATM - atmospheric

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Top type: open

Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no

Outlet of tank: 48
Internal diameter tank: 1,400 mm
Cylinder height: 1,240 mm
Total height of tank: 1.320 mm
Empty weight tank: 600

SKU: 453722

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: single-skin
Mobile Tank: No, it is not.
Övrig information: Paint factory; Tanks slightly out of round; minor differences in design possible; Parts of the butterfly tap are lower than the lower bottom (take this into account when setting up the tanks);
Additional Information2: Butterfly taps mostly curved upwards; Tanks partly with dents; some residues of previous content
Agitator: No
Complete Drainage: Yes
Heating / Cooling: No
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 2000

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: No, it is not.
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 1.240 mm
Internal diameter: 1.400 mm
Total Height: 1,320 mm

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Mer

Isolated: No
Weight: 600