

The figure consists of two technical drawings of a closed storage tank. The top drawing is a front elevation showing a cylindrical tank with a flat top and four conical legs. It is labeled with dimensions: a width of 1000 mm at the top, a total height of 1500 mm, and a leg height of 400 mm. Callouts A-H point to various components like connections, flanges, and supports. The bottom drawing is a top-down plan view of the tank's circular base, showing the arrangement of the four legs and internal structural details, also labeled with callouts A-H.

The 2000 liter stainless steel 304 tank is ideal for demanding environments. It is 2000 liters capacity, made in Stainless 304, brand new, Vertical model and delivers reliable performance over time. Ideal for professional use.

# PROCESSÖVERSKOTT AB

Rodervägen 57  
891 78 Bonässund  
info@processoverskott.se



## Mer information

### Product Description

Food-grade: Yes

Material: Stainless steel 304

Model: Vertical

New / Used: Newly manufactured

Operating Pressure in Tank: ATM – atmospheric

Stainless steel finish: 2b

Mobile Tank: No, it is not.

Övrig information: These tanks have about 3 months delivery time.

Agitator: No

Tank Shape: cylindrical

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 2000

### Equipment

Nameplate: Yes

Food-grade: Yes

Tank Outlet: inside Ø 60 mm

Outlet Type: DIN 11851

### Material Overview

Material: Stainless steel 304

### Tank Dimensions

Cylinder Height: 1.500 mm

Height on legs: 400 mm

Total Height: 2.500 mm

Outer diameter: 1.270 mm



**Mer**

Isolated: Yes