

2000 liter tank in 304 stainless steel



58 000 SEK /st exkl moms

Additional information: Rinse water tank (Cip system) in a dairy; Cone height approx. 1000 mm; manhole approx. 430 mm (slightly out of round); dents in the upper bottom; insulating jacket cut open at the end of the cone bottom (see photos); some residues of previous content; bump at the insulation jacket; pipe end cut flush

Volumetric volume (L): 2.000 L



Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Type HE on the cylinder: half pipe welded onto the outside of the innertank

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Outlet of tank: 150

Internal diameter tank: 1.340 mm

Outer diameter tank: 1.500 mm

Cylinder height: 1.400 mm

Total height of tank: 3.500 mm

SKU: 463251

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated with heat-exchanger

Mobile Tank: No, it is not.

Övrig information: Rinse water tank (Cip system) in a dairy; Cone height approx. 1000 mm; manhole approx. 430 mm (slightly unround); dents in the upper bottom; insulation jacket cut open at the end of the cone bottom

Additional Information2: (see photos); some residues of previous content; bump at the insulation jacket; pipe end cut flush; we can't give any guarantees about the heating/cooling jacket

Agitator: No

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 2000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 1.400 mm

Internal diameter: 1.340 mm

Total Height: 3.500 mm

Outer diameter: 1.500 mm



Mer

Isolated: Yes