2000 liter tank in Acid-proof 316



57 000 SEK /st exkl moms

Additional information: Stainless steel 304 vessel lid; vessel inside with dents, vessel lid bulging outwards (presumably due to overpressure in the inner vessel or double jacket); adhesions inside the vessel; small dents in the iso jacket
Volumetric volume (L): 2.000 L
Pressure in tank: ATM - atmosferic

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Material wet parts: SS AISI 316 (V4A)
Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Type HE on the bottom: heating/cooling jacket
Type HE on the cylinder: heating/cooling jacket
Heat exchanger: RVS 304
Documents included: no
Technical drawing included: no

Registration plate on the tank: no
Flange for agitator: no
Outlet of tank: available
Internal diameter tank: 1.280 mm
Outer diameter tank: 1.400 mm

Cylinder height: 1.740 mm
Total height of tank: 2.650 mm

SKU: 413735

Mer information

Product Description

Material: Acid-resistant 316
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: insulated with heat-exchanger
Mobile Tank: No, it is not.
Övrig information: Chemistry; Tank lid, Aisi 304; Tank with dents inside, tank lid bulging outwards (probably due to overpressure in the inner tank and double jacket); adhesions inside the tank; small dents in the
Additional Information2: insulation jacket; we can't give any guarantees about the heating/cooling jacket
Agitator: No
Complete Drainage: Yes
Heating / Cooling: Yes
Contact Surface: SS AISI 316 (V4A)
Volume in liters: 2000

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: No, it is not.
Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 1.740 mm
Internal diameter: 1,280 mm
Total Height: 2,650 mm
Outer diameter: 1.400 mm

Mer

Heat Exchanger: RVS 304
Isolated: Yes