

2000 liter tank in Acid-proof 316



169 000 SEK /st exkl moms

Additional information: Manhole 330 x 440 mm; Documentation manual available

Volumetric volume (L): 2.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)



Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Max Overpressure: 3 Bar

Type HE on the cylinder: heating/cooling jacket

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: 80

Agitator: yes

Internal diameter tank: 1.050 mm

Outer diameter tank: 1.150 mm

Cylinder height: 2.450 mm

Total height of tank: 3.550 mm

SKU: 400661

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: isolert med varmeveksler

Mobile Tank: No, it is not.

Övrig information: Manhole 330 x 440 mm; Documentation manual available; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 2000

Equipment

Product Dokument finns: No

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 2,450 mm

Internal diameter: 1.050 mm

Total Height: 3,550 mm

Outer diameter: 1.150 mm

Mer

Heat Exchanger: RVS 304

Isolated: Yes

