

2000 liter tank in Acid-proof 316



205 000 SEK /st exkl moms

Additional information: Manhole approx. 308 x 440 mm; Total height as per drawing

Volumetric volume (L): 2.000 L

Pressure in tank: ATM - atmospheric

Max. temperature (°C): 90 °C



Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 15 L

Max Overpressure: 3 Bar

Max. working temperature: 90 °C

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: yes

Position of manway: in the bottom

Outlet of tank: 50

Internal diameter tank: 1.050 mm

Outer diameter tank: 1.150 mm

Cylinder height: 2.500 mm

Total height of tank: 3.700 mm

SKU: 463155

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated with heat-exchanger

Max. Service Temperature: 90 °C

Mobile Tank: No, it is not.

Övrig information: Manhole approx. 308 x 440 mm; Total height as per drawing; we can't give any guarantees about the heating/cooling jacket

Agitator: No

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 2000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: Yes

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 2.500 mm

Internal diameter: 1.050 mm

Total Height: 3,700 mm

Outer diameter: 1.150 mm

Mer

Isolated: Yes

