20000 liter steel tank

94 000 SEK /st exkl moms

Additional information: Compressed air tank in the chemical industry; 2 loose support saddles, Fe; Manhole 320 x 420 mm
Volumetric volume (L): 20.000 L
Pressure in tank: pressure
Max. pressure (Bar): 10 Bar

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Max. temperature (°C): 50 °C

Model: horizontal
Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no

Total discharge: no
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Position of manway: cylinder
Cylinder: 9,60 mm
Bottom: 12 mm
Internal diameter tank: 2.000 mm
Total height of tank: 2.400 mm

Total outer length: 7.100 mm

SKU: 427418

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Product Description

Model: Horizontal
New / Used: Used
Operating Pressure in Tank: pressure
Configuration: single-skin
Max. Service Temperature: 50 °C
Mobile Tank: No, it is not.
Övrig information: Compressed air tank in the chemical industry; 2 loose support saddles, Fe; Manhole 320 x 420 mm
Agitator: No
Overpressure: 10 bars
Complete Drainage: No, it is not.
Pressure Vessel: Yes
Heating / Cooling: No
Volume in liters: 20000

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Tank Dimensions

Internal diameter: 2,000 mm
Total Height: 2,400 mm

Tjocklek på tank

Bottom: 12 mm (0,5 in.)
Cylinder: 9,60 mm

Mer

Isolated: No

Rodervägen 57
891 78 Bonässund
info@processoverskott.se