20000 liter tank in Acid-proof 316

156 000 SEK /st exkl moms

Article type: second-hand storage tank
Volumetric volume (L): 20.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 316 (V4A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Model: horizontal

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Shape of tank: cylindrical

Wall type: conical
Total discharge: yes
Manway(s): RVS 316
Gasket manway(s): unknown
Valve: RVS 316

Gasket shut-off valve (mat): unknown
Fixation point(s): RVS 304L
Suitable for food industry: yes
Documents included: no
Technical drawing included: no

Registration plate on the tank: yes
Flange for agitator: no
Number of manways: 1
Position of manway: headside
CIP spray ball: no

Tank outlet: inside Ø 50 mm
Outlet type: DIN11851 male
Total outlet valve: yes
Agitator: no
Outer diameter tank: 2.900 mm

Total height of tank: 3.340 mm
Total outer length: 3.800 mm
Empty weight tank: 1.200

SKU: 377069

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Mer information

Product Description

Food-grade: Yes
Material: Acid-resistant 316
Model: Horizontal
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: single-skin
Mobile Tank: No, it is not.
Agitator: No
Tank Shape: cylindrical
Complete Drainage: Yes
Heating / Cooling: No
Contact Surface: SS AISI 316 (V4A)
Volume in liters: 20000

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Food-grade: Yes
Tank Outlet: inside Ø 50 mm
Technical Drawing Available: No, it is not.
Outlet Type: DIN11851 male
Outlet Valve: Yes

Material Overview

Material: Acid-resistant 316
Fixing point(s): RVS 304L

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Tank Dimensions
Total Height: 3.340 mm
Outer diameter: 2,900 mm

Mer
Isolated: No
Weight: 1.200

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor