

20000 liters tank in Stainless 304



131 000 SEK /st exkl moms

Additional information: Phosphoric acid; 2 bearing shells, Aisi 304; manhole diameter 380 mm; 1 pipe inside; some residues of previous content; Metallic discolouration inside

Volumetric volume (L): 20.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: horizontal

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Outlet of tank: 38

Cylinder: 3 mm

Bottom: 2,90 mm

Internal diameter tank: 2.270 mm

Total height of tank: 2.650 mm

Total outer length: 5.600 mm

SKU: 416270



Mer information

Product Description

Material: Stainless steel 304

Model: Horizontal

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: Phosphoric acid; 2 bearing shells, Aisi 304; manhole diameter 380 mm; 1 pipe inside; some residues of previous content; Metallic discolouration inside

Agitator: No

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 20000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Internal diameter: 2,270 mm

Total Height: 2,650 mm

**Tjocklek på tank**

Bottom: 2,90 mm

Cylinder: 3 mm

Mer

Isolated: No