

20000 liters tank in Stainless 304



118 000 SEK /st exkl moms

Additional information: Cip-tank; Manhole diameter 420 mm; various pipes on the tank (mostly cut off); Adhesions inside the tank; Metallic discolouration inside

Volumetric volume (L): 20.000 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: DN50 DIN 11851

Internal diameter tank: 2.400 mm

Outer diameter tank: 2.520 mm

Cylinder height: 4.550 mm

Total height of tank: 6.500 mm

SKU: 407186

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated

Mobile Tank: No, it is not.

Övrig information: Cip-tank; Manhole diameter 420 mm; various pipes on the tank (mostly cut off); Adhesions inside the tank ; Metallic discolouration inside

Agitator: No

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 20000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 4,550 mm

Internal diameter: 2,400 mm

Total Height: 6.500 mm

Outer diameter: 2,520 mm

Mer

Isolated: Yes