

20000 liters tank in Stainless 304



211 000 SEK /st exkl moms

Additional information: Dairy; Opening for ventilation hood available (the hood itself is missing)

Volumetric volume (L): 20.000 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: available

Agitator: yes

Number of revolutions: 19

Power: 5,50

Internal diameter tank: 2.530 mm

Cylinder height: 3.700 mm

Total height of tank: 6.900 mm

SKU: 397316

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank:

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: Dairy; Opening for ventilation hood available (the hood itself is missing); we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage:

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 20000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 3,700 mm

Internal diameter: 2,530 mm

Total Height: 6.900 mm

Stirrer

Power (kW): 5,50

Speed (RPM): 19



Mer

Isolated: No