

20000 liters tank in Stainless 304



154 000 SEK /st exkl moms

Additional information: water-soluble paints; 1 tank with 1 dent in the cylinder; the manhole cover is missing by the other tank; some residues of previous content

Volumetric volume (L): 20.000 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: flange DN125

Top: 2,40 mm

Cylinder: 2,40 mm

Bottom: 3,80 mm

Internal diameter tank: 2.470 mm

Cylinder height: 4.000 mm

Total height of tank: 5.400 mm

Empty weight tank: 1.500

SKU: 390008

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: water-soluble paints; 1 tank with 1 dent in the cylinder; the manhole cover is missing by the other tank; some residues of previous content

Agitator: No

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 20000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 4,000 mm

Internal diameter: 2,470 mm

Total Height: 5,400 mm

Tjocklek på tank

Bottom: 3,80 mm

Cylinder: 2.40 mm

Top: 2.40 mm



Mer

Isolated: No

Weight: 1.500
