

20000 liters tank in Stainless 304



148 000 SEK /st exkl moms

Article type: second-hand mixing tank

Additional information: we can't give any guarantees about the agitator

Volumetric volume (L): 20.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no



Top type: conical

Shape of tank: cylindrical

Bottom type: conical

Total discharge: yes

Fixation points: 3 adjustable feet

Manway(s): RVS 304

Fixation point(s): RVS 304

Wet parts agitator(s): SS AISI 304 (V2A)

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Height manhole 1 (mm): 500 mm

Tank outlet: inside Ø 100 mm

Outlet type: DIN11850

Total outlet valve: no

Agitator: yes

Top: 3 mm

Cylinder: 3 mm

Bottom: 4 mm

Distance from outlet to ground: 460 mm

Outer diameter tank: 2.800 mm

Cylinder height: 3.000 mm

Total height of tank: 5.000 mm

Empty weight tank: 1.200

SKU: 382913



Mer information

Product Description

Food-grade: Yes

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: we can't give any guarantees about the agitator

Agitator: Yes

Tank Shape: cylindrical

Complete Drainage: Yes

Bottom Type: conical

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 20000

Equipment

Product Dokument finns: No

Agitator flange: No

Nameplate: No, it is not.

Food-grade: Yes

Tank Outlet: inside Ø 100 mm

Technical Drawing Available: No, it is not.

Outlet Type: DIN11850

Outlet Valve: No, it is not.

Material Overview

Material: Stainless steel 304

Fixing point(s): RVS 304

Material vätskeberörd del på omrörare: SS AISI 304 (V2A)



Tank Dimensions

Cylinder Height: 3,000 mm

Outlet Height to Ground: 460 mm

Total Height: 5,000 mm

Outer diameter: 2,800 mm

Tjocklek på tank

Bottom: 4 mm

Cylinder: 3 mm

Top: 3 mm

Mer

Isolated: No

Weight: 1.200