

20000 liters tank in Stainless 304



160 000 SEK /st exkl moms

Additional information: Lebensmittel; kleinere Beulen im Isomantel; stärkere Anhaftungen innen; seidl. RW-Flansch vermutlich zugeschweißt; pipe end cut flush

Volumetric volume (L): 20.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no



Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: yes

Position of manway: cylinder

Outlet of tank: pipe end Ø appr. 125mm

Internal diameter tank: 2.390 mm

Outer diameter tank: 2.500 mm

Cylinder height: 4.450 mm

Total height of tank: 5.950 mm

SKU: 391769

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated

Mobile Tank: No, it is not.

Övrig information: Foodstuffs; minor dents in the isomantle; stronger adhesions inside; lateral

RW flange probably welded shut; pipe end cut flush

Agitator: No

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 20000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: Yes

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 4,450 mm

Internal diameter: 2.390 mm

Total Height: 5.950 mm

Outer diameter: 2.500 mm

Mer

Isolated: Yes