

20000 liters tank in Stainless 304



137 000 SEK /st exkl moms

Additional information: fruit juice industry; Vessel with minor dents in the cylinder (see photos); pipe end cut flush

Volumetric volume (L): 20.000 L

Pressure in tank: pressure

Max. pressure (Bar): 0,50 Bar



Min. pressure (Bar): 0,50 Bar

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: yes

Position of manway: cylinder

Outlet of tank: pipe end Ø appr. 80mm

Cylinder: 2,50 mm

Bottom: 2,30 mm

Internal diameter tank: 2.500 mm

Cylinder height: 3.700 mm

Total height of tank: 6.750 mm

SKU: 461223

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: fruit juice industry; Vessel with minor dents in the cylinder (see photos); pipe end cut flush

Agitator: No

Overpressure: 0,50 bar

Complete Drainage: Yes

Vacuum Pressure: 0,50 bar

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 20000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: Yes

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 3,700 mm

Internal diameter: 2.500 mm

Total Height: 6.750 mm

**Tjocklek på tank**

Bottom: 2,30 mm

Cylinder: 2,50 mm

Mer

Isolated: No