


200000 liters tank in Stainless 304



973 000 SEK /st exkl moms

Article type: second-hand storage tank

Additional information: we can't give any guarantees about the agitator

Volumetric volume (L): 200.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Top type: conical

Shape of tank: cylindrical

Bottom type: flat sloping

Total discharge: yes

Fixation points: on skirt

Manway(s): RVS 304

Gasket manway(s): unknown

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: cylinder

Height manhole 1 (mm): 434 mm x H 534 mm

Agitator: yes

Agitator type: propeller agitator

Position engine: in the cylinder

Insulation top: yes

Insulation body: yes

Insulation thickness: 100

Internal diameter tank: 4.100 mm

Outer diameter tank: 4.350 mm

Cylinder height: 15.450 mm

Total height of tank: 17.175 mm

SKU: 414329



Mer information

Product Description

Food-grade: Yes

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated

Mobile Tank: No, it is not.

Övrig information: we can't give any guarantees about the agitator

Agitator: Yes

Tank Shape: cylindrical

Complete Drainage: Yes

Bottom Type: flat slope

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 200000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Food-grade: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Fixing point(s): RVS 304

Tank Dimensions

Cylinder Height: 15.450 mm
Internal diameter: 4.100 mm
Total Height: 17.175 mm
Outer diameter: 4.350 mm

Stirrer

Motor Position: in the cylinder
Agitator Type: propeller agitator

Outer Cladding and Insulation Thickness

Jacket insulation: Yes

Mer

Insulation material: Yes
Insulation Thickness OW: 100
Isolated: Yes