

2100 liter tank in Stainless 304



31 000 SEK /st exkl moms

Additional information: 4 claws, Fe; insulated jacket with smaller holes; outlet with lid diameter approx. 170 mm (in the lid 1 connection diameter 38 mm); parts of the manhole cover closure made of Fe; screw plug of the manhole cover bent (see photos); some residues of previous content; dents at the insulation jacket

Volumetric volume (L): 2.100 L



Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: yes
Position of manway: in the bottom

Outlet of tank: available
Internal diameter tank: 1.090 mm
Outer diameter tank: 1.200 mm
Cylinder height: 2.150 mm
Total height of tank: 3.250 mm

SKU: 418880

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated

Mobile Tank: No, it is not.

Övrig information: 4 supprt brackets, Fe; insulating jacket with smaller holes; outlet with lid diameter approx. 170 mm (in the lid 1 connection diameter 38 mm); Manhole cover closure parts made of Fe; Manhole cover

Additional Information2: plug screw bent (see photos) ; some residues of previous content;dents at the insulation jacket

Agitator: No

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 2100

Equipment

Product Dokument finns: No, it is not.

Agitator flange: Yes

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 2,150 mm

Internal diameter: 1.090 mm

Total Height: 3.250 mm

Outer diameter: 1.200 mm

Mer

Isolated: Yes