

21400 liters tank in Stainless 304



252 000 SEK /st exkl moms

Additional information: Beverage industry

Volumetric volume (L): 21.400 L

Pressure in tank: pressure

Max. pressure (Bar): 4,50 Bar



Min. pressure (Bar): 4,50 Bar

Max. temperature (°C): 20 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 205 L

Max Overpressure: 1,50 Bar

Max. working temperature: 20 °C

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: DN50 DIN 11851

Top: 5,40 mm

Cylinder: 6 mm

Bottom: 5,70 mm

Internal diameter tank: 2.888 mm

Outer diameter tank: 2.930 mm

Cylinder height: 2.300 mm

Total outer width: 4.150 mm

SKU: 400550



Mer information

Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: pressure
Configuration: single jacketed with heat-exchanger
Max. Service Temperature: 20 °C
Mobile Tank: No, it is not.
Övrig information: Beverage industry
Agitator: No
Overpressure: 4,50 bar
Complete Drainage: Yes
Vacuum Pressure:
Pressure Vessel: Yes
Heating / Cooling: Yes
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 21400

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304



Tank Dimensions

Cylinder Height: 2.300 mm
Internal diameter: 2.888 mm
Outer diameter: 2,930 mm

Tjocklek på tank

Bottom: 5,70 mm
Cylinder: 6 mm
Top: 5,40 mm

Mer

Isolated: No