

21500 liters tank in Stainless 304



169 000 SEK /st exkl moms

Additional information: fruit juice industry; small sheet metal cutouts in the insulation jacket; ventilation hoods no longer present in the upper bottom; dents at the insulation jacket; pipe end cut flush

Volumetric volume (L): 21.500 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: 80

Agitator: yes

Power: 7,50

Internal diameter tank: 2.590 mm

Outer diameter tank: 2.800 mm

Cylinder height: 4.100 mm

Total height of tank: 6.200 mm

SKU: 396023

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank:

Configuration: insulated

Mobile Tank: No, it is not.

Övrig information: fruit juice industry; small sheet metal cutouts in the insulation jacket; ventilation hoods no longer present in the upper bottom; dents at the insulation jacket; pipe end cut flush; we can't give

Additional Information2: any guarantees about the agitator

Agitator: Yes

Complete Drainage:

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 21500

Equipment

Product Dokument finns: No

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 4.100 mm

Internal diameter: 2.590 mm

Total Height: 6.200 mm

Outer diameter: 2,800 mm

Stirrer

Power (kW): 7,50



Mer

Isolated: Yes