

2167 liter tank in Acid-proof 316



45 000 SEK /st exkl moms

Additional information: fresh water; manhole diameter: approx 500 mm

Volumetric volume (L): 2.167 L

Pressure in tank: ATM - atmospheric

Max. temperature (°C): 95 °C



Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: 100

Internal diameter tank: 940 mm

Outer diameter tank: 1.030 mm

Cylinder height: 3.000 mm

Total height of tank: 4.000 mm

Total outer width: 1.400 mm

SKU: 424184

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated

Max. Service Temperature: 95 °C

Mobile Tank: No, it is not.

Övrig information: fresh water; manhole diameter: approx 500 mm

Agitator: No

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 2167

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 3,000 mm

Internal diameter: 940 mm

Total Height: 4,000 mm

Outer diameter: 1,030 mm

Mer

Isolated: Yes