

## 21940 liter tank in Acid-proof 316



318 000 SEK /st exkl moms

**Additional information:** food industry; Tank bottom and 1/3 of the cylinder can be tempered

**Volumetric volume (L):** 21.940 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 316 (V4A)



**Model:** vertical

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** available

**Agitator:** yes

**Number of revolutions:** 109

**Power:** 0,66

**Internal diameter tank:** 2.830 mm

**Outer diameter tank:** 3.000 mm

**Cylinder height:** 3.400 mm

**Total height of tank:** 5.000 mm

**SKU:** 478005

## Mer information



## Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated with heat-exchanger

Mobile Tank: No, it is not.

Övrig information: food industry; Tank bottom and 1/3 of the cylinder can be tempered; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 21940

## Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

## Material Overview

Material: Acid-resistant 316

## Tank Dimensions

Cylinder Height: 3,400 mm

Internal diameter: 2,830 mm

Total Height: 5,000 mm

Outer diameter: 3,000 mm

## Stirrer

Power (kW): 0,66

Speed (RPM): 109



**Mer**

Isolated: Yes