

22000 liters tank in Stainless 304



125 000 SEK /st exkl moms

Additional information: fruit juice industry; Vessel with dents; 1 foot is pressed into the subfloor (see photos) - this would have to be repaired on site before the vessel could be reinstalled; pipe end cut flush

Volumetric volume (L): 22.000 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: 60

Agitator: yes

Number of revolutions: 1.435

Power: 5,50

Cylinder: 3 mm

Internal diameter tank: 2.490 mm

Cylinder height: 4.480 mm

Total height of tank: 6.150 mm

SKU: 391862

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: fruit juice industry; Vessel with dents; 1 foot is pressed into the subfloor (see photos) – this would have to be repaired on site before the vessel could be reinstalled; pipe end cut flush; we

Additional Information2: can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 22000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 4,480 mm

Internal diameter: 2.490 mm

Total Height: 6.150 mm

Stirrer

Power (kW): 5,50

Speed (RPM): 1.435



Tjocklek på tank

Cylinder: 3 mm

Mer

Isolated: No
