

2300 liter tank in Stainless 304



55 000 SEK /st exkl moms

Article type: second-hand storage tank

Additional information: the tank has never been used

Volumetric volume (L): 2.300 L

Max. density P (kg/m³): 1

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no



Mobile tank: no

Top type: conical

Shape of tank: cylindrical

Bottom type: conical

Total discharge: yes

Fixation points: 3 non adjustable feet

Manway(s): RVS 304

Gasket manway(s): parra rubber

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: headside

Height manhole 1 (mm): 400 mm

Tank outlet: inside Ø 40 mm

Total outlet valve: no

Top: 1,20 mm

Cylinder: 1 mm

Bottom: 1,50 mm

Outer diameter tank: 1.190 mm

Cylinder height: 2.000 mm

Feet height: 400 mm

Total height of tank: 2.715 mm

Empty weight tank: 150

SKU: 386333



Mer information

Product Description

Food-grade: Yes
Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank:
Configuration: single-skin
Maximum Product Density: 1
Mobile Tank: No, it is not.
Övrig information: the tank has never been used
Agitator: No
Tank Shape: cylindrical
Complete Drainage:
Bottom Type: conical
Heating / Cooling: No
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 2300

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: No, it is not.
Food-grade: Yes
Tank Outlet: inside Ø 40 mm
Technical Drawing Available: No, it is not.
Outlet Valve: No, it is not.

Material Overview

Material: Stainless steel 304
Fixing point(s): RVS 304



Tank Dimensions

Cylinder Height: 2,000 mm
Height on legs: 400 mm
Total Height: 2,715 mm
Outer diameter: 1,190 mm

Tjocklek på tank

Bottom: 1,50 mm
Cylinder: 1 mm
Top: 1,20 mm

Mer

Isolated: No
Weight: 150