

23156 liter tank in Syrafast 316



246 000 SEK /st exkl moms

Additional information: Pharmacy; 1 manhole DN 600 in the front bottom; Foot ends cut off, are included loose (see photos); pipe end cut flush

Volumetric volume (L): 23.156 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 0,50 Bar



Min. pressure (Bar): 1 Bar

Max. temperature (°C): 80 °C

Material wet parts: SS AISI 316 (V4A)

Model: horizontal

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Max Overpressure: 0,50 Bar

Max onderdruk: 1 Bar

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: 80

Cylinder: 6,60 mm

Internal diameter tank: 2.300 mm

Total outer length: 6.100 mm

SKU: 403535

Mer information



Product Description

Material: Acid-resistant 316

Model: Horizontal

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: single-skin

Max. Service Temperature: 80 °C

Mobile Tank: No, it is not.

Övrig information: Pharmacy; 1 manhole DN 600 in the front bottom; Foot ends cut off, are included loose (see photos) ; pipe end cut flush

Agitator: No

Overpressure: 0,50 bar

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 23156

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Internal diameter: 2,300 mm

Tjocklek på tank

Cylinder: 6,60 mm



Mer

Isolated: No