2330 liter tank in Acid-proof 316

96 000 SEK /st exkl moms

Additional information: Pharmaceutical chemistry; Double jacket made of stainless steel 304 around the lower cylinder area and the lower base; 3 stainless steel claws; parts of the insulating collar were cut off during disassembly; bump at the insulation jacket
Volumetric volume (L): 2.330 L
Pressure in tank: pressure and vacuum

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Max. pressure (Bar): 3,20 Bar
Min. pressure (Bar): 1 Bar

Max. temperature (°C): 200 °C
Material wet parts: SS AISI 316 (V4A)
Model: vertical
Configuration: insulated with heat-exchanger
Heat exchanger: yes

Insulation: yes
Mobile tank: no
Total discharge: yes
Volume: 165 L
Max Overpressure: 2 Bar

Max onderdruk: 1 Bar
Max. working temperature: 200 °C
Type HE on the bottom: heating/cooling jacket
Type HE on the cylinder: heating/cooling jacket
Heat exchanger: RVS 304

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: headside

Outlet of tank: flange DN50
Top: 7 mm
Cylinder: 6 mm
Bottom: 5,80 mm
Internal diameter tank: 1.400 mm

Outer diameter tank: 1.650 mm
Cylinder height: 1.130 mm
Total height of tank: 2.150 mm

SKU: 406142

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Mer information

Product Description

Material: Acid-resistant 316
Model: Vertical
New / Used: Used
Operating Pressure in Tank: pressure and vacuum
Configuration: insulated with heat-exchanger
Max. Service Temperature: 200 °C
Mobile Tank: No, it is not.
Övrig information: Pharmaceutical chemistry; Double jacket made of stainless steel 304 around the lower cylinder area and the lower base; 3 stainless steel claws; parts of the insulating collar were cut off during
Additional Information2: disassembly; bump at the insulation jacket; we can't give any guarantees about the heating/cooling jacket
Agitator: No
Overpressure: 3,20 bar
Complete Drainage: Yes
Vacuum Pressure: 1 bar
Pressure Vessel: Yes
Heating / Cooling: Yes
Contact Surface: SS AISI 316 (V4A)
Volume in liters: 2330

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Material Overview
Material: Acid-resistant 316

Tank Dimensions
Cylinder Height: 1.130 mm
Internal diameter: 1.400 mm
Total Height: 2,150 mm
Outer diameter: 1.650 mm

Tjocklek på tank
Bottom: 5,80 mm
Cylinder: 6 mm
Top: 7 mm

Mer
Heat Exchanger: RVS 304
Isolated: Yes

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor