2355 liters tank in Syrafast 316

96 000 SEK /st exkl moms

Additional information: Pharmaceutical chemistry; The drawing is a standard drawing; slight deviations are possible; 2 claws made of stainless steel 304; double jacket made of 1.4541 (stainless steel 304) around the lower cylinder area and the lower base
Volumetric volume (L): 2.355 L
Pressure in tank: pressure and vacuum

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Max. pressure (Bar): 3,20 Bar
Min. pressure (Bar): 1 Bar

Max. temperature (°C): 200 °C
Material wet parts: SS AISI 316 (V4A)
Model: vertical
Configuration: single-skin
Heat exchanger: no

Insulation: no
Mobile tank: no
Total discharge: yes
Volume: 92 L
Max Overpressure: 2 Bar

Max onderdruk: 1 Bar
Max. working temperature: 200 °C
Type HE on the bottom: heating/cooling jacket
Documents included: no
Technical drawing included: no

Registration plate on the tank: yes
Flange for agitator: no
Position of manway: headside
Outlet of tank: flange DN50
Top: 7 mm

Cylinder: 6 mm
Bottom: 5,10 mm
Internal diameter tank: 1.400 mm
Outer diameter tank: 1.500 mm
Cylinder height: 1.138 mm

Total height of tank: 2.150 mm

SKU: 409439

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Mer information

Product Description

Material: Acid-resistant 316
Model: Vertical
New / Used: Used
Operating Pressure in Tank: pressure and vacuum
Configuration: single jacketed with heat-exchanger
Max. Service Temperature: 200 °C
Mobile Tank: No, it is not.
Övrig information: Pharmaceutical chemistry ; The drawing is a standard drawing; slight deviations are possible; 2 support brackets, Aisi 304; Double jacket made of 1.4541 (Aisi 304) around the lower cylinder area and
Additional Information2: the lower bottom
Agitator: No
Overpressure: 3,20 bar
Complete Drainage: Yes
Vacuum Pressure: 1 bar
Pressure Vessel: Yes
Heating / Cooling: Yes
Contact Surface: SS AISI 316 (V4A)
Volume in liters: 2355

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Tank Dimensions

Cylinder Height: 1.138 mm
Internal diameter: 1.400 mm
Total Height: 2,150 mm
Outer diameter: 1.500 mm

Tjocklek på tank

Bottom: 5,10 mm
Cylinder: 6 mm
Top: 7 mm

Mer

Isolated: No

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor