2400 liter tank in Stainless 304

61 000 SEK /st exkl moms

Additional information: Manhole approx. 345 x 455 mm; 1 dent in the iso jacket (see photos); some residues of previous content
Volumetric volume (L): 2.400 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Type HE on the cylinder: heating/cooling jacket
Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no

Position of manway: headside
Outlet of tank: DN25 DIN 11851
Internal diameter tank: 1.420 mm
Outer diameter tank: 1.500 mm
Cylinder height: 1.480 mm

Total height of tank: 2.250 mm

SKU: 431645

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: insulated with heat-exchanger
Mobile Tank: No, it is not.
Övrig information: Brewery; Manhole approx. 345 x 455 mm; 1 dent in the insulation jacket (see photos); some residues of previous content; we can't give any guarantees about the heating/cooling jacket
Agitator: No
Complete Drainage: Yes
Heating / Cooling: Yes
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 2400

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: No, it is not.
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 1.480 mm
Internal diameter: 1,420 mm
Total Height: 2.250 mm
Outer diameter: 1.500 mm

Mer

Isolated: Yes

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor