

24400 liters tank in Stainless 304



289 000 SEK /st exkl moms

Additional information: some residues of previous content; Metallic discolouration inside

Volumetric volume (L): 24.400 L

Pressure in tank: pressure

Max. pressure (Bar): 4 Bar



Min. pressure (Bar): 4 Bar

Max. temperature (°C): 20 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 114 L

Max Overpressure: 2 Bar

Type HE on the cylinder: half pipe welded onto the outside of the innertank

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: DN50 DIN 11851

Cylinder: 5 mm

Bottom: 6 mm

Internal diameter tank: 2.800 mm

Cylinder height: 3.000 mm

Total height of tank: 4.900 mm

SKU: 400808



Mer information

Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: single jacketed with heat-exchanger

Max. Service Temperature: 20 °C

Mobile Tank: No, it is not.

Övrig information: Brewery; some residues of previous content; Metallic discolouration inside

Agitator: No

Overpressure: 4 bars

Complete Drainage:

Vacuum Pressure:

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 24400

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 3,000 mm

Internal diameter: 2,800 mm

Total Height: 4,900 mm



Tjocklek på tank

Bottom: 6 mm

Cylinder: 5 mm

Mer

Isolated: No