

24500 liters tank in Stainless 304





369 000 SEK /st exkl moms

Additional information: Brewery; Total height estimated according to drawing; 1 manhole diameter 450 mm with connection diameter 70 mm at the end of the cone bottom; wall thickness of 1000 mm of cylinder height 4 mm

Volumetric volume (L): 24.500 L

Pressure in tank: pressure

Max. pressure (Bar): 2,50 Bar

Max. temperature (°C): 50 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: no

Volume: 113 L

Max Overpressure: 2 Bar

Max. working temperature: 70 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: half pipe welded onto the outside of the innertank

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Top: 6 mm

Cylinder: 3,50 mm

Bottom: 4,50 mm

Internal diameter tank: 2.882 mm

Outer diameter tank: 3.084 mm

Cylinder height: 2.500 mm

Total height of tank: 6.000 mm



SKU: 474482

Mer information

Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: insulated with heat-exchanger

Max. Service Temperature: 50 °C

Mobile Tank: No, it is not.

Övrig information: Brewery; Total height estimated according to drawing; 1 manhole diameter 450 mm with connection diameter 70 mm at the end of the cone bottom; wall thickness of 1000 mm of cylinder height 4 mm; we

Additional Information2: can't give any guarantees about the heating/cooling jacket

Agitator: No

Overpressure: 2,50 bar

Complete Drainage: No, it is not.

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 24500

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.



Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 2.500 mm

Internal diameter: 2.882 mm

Total Height: 6,000 mm

Outer diameter: 3.084 mm

Tjocklek på tank

Bottom: 4,50 mm

Cylinder: 3,50 mm

Top: 6 mm

Mer

Isolated: Yes