

245000 liters tank in Stainless 304



757 000 SEK /st exkl moms

Additional information: Dairy; We can provide a visual inspection protocol of the inner surface of the tank (not included in the price; Dismantling included in the price, loading is offered separately)

Volumetric volume (L): 245.000 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: available

Number of revolutions: 40 / 80

Power: 2.7 / 5.5

Internal diameter tank: 4.450 mm

Outer diameter tank: 4.610 mm

Cylinder height: 15.750 mm

Total height of tank: 17.000 mm

SKU: 397397

Mer information



Product Description

Food-grade: Yes

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank:

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: Dairy; We can provide a visual inspection protocol of the inner surface of the tank (not included in the price; Dismantling included in the price, loading is offered separately

Agitator: No

Complete Drainage: No, it is not.

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 245000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Food-grade: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 15.750 mm

Internal diameter: 4,450 mm

Total Height: 17,000 mm

Outer diameter: 4.610 mm



Stirrer

Power (kW): 2.7 / 5.5

Speed (RPM): 40 / 80

Mer

Isolated: No