

2460 liter tank in Acid-proof 316



81 000 SEK /st exkl moms

Additional information: VE-water (demineralized water); frame, V2A; Manhole diameter: approx. 400mm; metallic discoloration in the interior of the container;

Volumetric volume (L): 2.460 L

Pressure in tank: pressure

Max. pressure (Bar): 0,30 Bar



Max. temperature (°C): 45 °C

Material wet parts: SS AISI 316 (V4A)

Model: horizontal

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: 44

Cylinder: 5 mm

Bottom: 4 mm

Internal diameter tank: 1.300 mm

Total height of tank: 2.250 mm

Total outer width: 1.310 mm

Total outer length: 2.700 mm

Empty weight tank: 850

SKU: 425525

Mer information



Product Description

Material: Acid-resistant 316

Model: Horizontal

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: single-skin

Max. Service Temperature: 45 °C

Mobile Tank: No, it is not.

Övrig information: VE-water (demineralized water); frame, V2A; Manhole diameter: approx. 400mm; metallic discoloration in the interior of the container;

Agitator: No

Overpressure: 0,30 bar

Complete Drainage: Yes

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 2460

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Internal diameter: 1.300 mm

Total Height: 2.250 mm

Tjocklek på tank

Bottom: 4 mm

Cylinder: 5 mm



Mer

Isolated: No

Weight: 850
