

250 liter tank in stainless steel 304



19 000 SEK /st exkl moms

Additional information: Pharmacy; Mobile on 3 plastic rollers; diameter of hand hole approx. 290 mm; outlet fitting no longer available; former connections in the upper bottom were welded shut by the previous operator

Volumetric volume (L): 250 L

Pressure in tank: pressure



Max. pressure (Bar): 2 Bar

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: 35

Cylinder: 3.40 mm

Bottom: 3.90 mm

Internal diameter tank: 790 mm

Total height of tank: 1.300 mm

SKU: 476590

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: Pharmacy; Mobile on 3 plastic rollers; diameter of hand hole approx. 290 mm; outlet fitting no longer available; former connections in the upper bottom were welded shut by the previous operator

Agitator: No

Overpressure: 2 bars

Complete Drainage: Yes

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 250

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Internal diameter: 790 mm

Total Height: 1.300 mm

Tjocklek på tank

Bottom: 3.90 mm

Cylinder: 3,40 mm



Mer

Isolated: No