

2500 liter tank in Stainless 304



44 000 SEK /st exkl moms

Additional information: chemistry

Volumetric volume (L): 2,500 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes



Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: cylinder

Outlet of tank: flange DN25
Cylinder: 5.20 mm
Bottom: 4.90 mm
Internal diameter tank: 1,580 mm
Cylinder height: 1,100 mm

Total height of tank: 2.250 mm
Empty weight tank: 500

SKU: 450995

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: chemistry

Agitator: No

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 2500

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 1.100 mm

Internal diameter: 1.580 mm

Total Height: 2.250 mm

Tjocklek på tank

Bottom: 4.90 mm

Cylinder: 5,20 mm



Mer

Isolated: No

Weight: 500