

2500 liter tank in Stainless 304



27 000 SEK /st exkl moms

Additional information: Basic dimensions inside: approx. 1,100 x 1,100 mm; wall height inside: approx. 2,150 mm; light-colored protective coating outside (no longer complete); diameter of manhole approx. 490 mm; slight differences in design, e.g. manholes and outlets; diameter of residual emptying mostly 25 mm (sometimes also 50 mm); 2 tanks without level indicator; some residues of previous content

Volumetric volume (L): 2.500 L



Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: headside

Outlet of tank: available
Total height of tank: 3.250 mm
Total outer width: 1.230 mm
Total outer length: 1.500 mm

SKU: 452102

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: Cosmetics; Basic dimensions inside: approx. 1,100 x 1,100 mm; Internal wall height: approx. 2,150 mm; light protective paint on the outside (no longer completely complete); Manhole diameter approx.

Additional Information2: 490 mm; slight differences in execution, e.g. B. manholes and outlets; Diameter of residual emptying mostly 25 mm (sometimes 50 mm); 2 tanks without level indicator; some residues of previous content

Agitator: No

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 2500

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Total Height: 3.250 mm

Mer

Isolated: No

