

2500 liter tank in Stainless 304



58 000 SEK /st exkl moms

Additional information: Pharmaceutical Chemistry; Manhole diameter approx. 600 mm (manhole flange ring made of Fe, see photos); 1 smaller dent in the cylinder; Metallic discolouration inside

Volumetric volume (L): 2.500 L

Pressure in tank: ATM - atmospheric

Max. temperature (°C): 50 °C



Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: flange DN100

Cylinder: 5,20 mm

Bottom: 4,90 mm

Internal diameter tank: 1.290 mm

Cylinder height: 1.750 mm

Total height of tank: 3.150 mm

SKU: 413339

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Max. Service Temperature: 50 °C

Mobile Tank: No, it is not.

Övrig information: Pharmaceutical Chemistry; Manhole diameter approx. 600 mm (manhole flange ring made of Fe, see photos); 1 smaller dent in the cylinder; Metallic discolouration inside

Agitator: No

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 2500

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 1.750 mm

Internal diameter: 1.290 mm

Total Height: 3.150 mm

Tjocklek på tank

Bottom: 4.90 mm

Cylinder: 5,20 mm



Mer

Isolated: No