


25000 liters tank in Acid-proof 316



190 000 SEK /st exkl moms

Additional information: Extensive documentation available; tank by now already dismantled and warehoused horizontally; two tanks with insulation -the insulation was damaged in some areas and likely needs replacement; feet of the storage tank are shorter than the lower bottom.

Volumetric volume (L): 25.000 L

Pressure in tank: ATM - atmospheric



Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Top: 7 mm

Cylinder: 5 mm

Bottom: 7 mm

Internal diameter tank: 2.390 mm

Cylinder height: 5.414 mm

Total height of tank: 6.830 mm

SKU: 477508

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank:

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: Extensive documentation available; tank by now already dismantled and warehoused horizontally; two tanks with insulation -the insulation was damaged in some areas and likely needs replacement; feet

Additional Information2: of the storage tank are shorter than the lower bottom.

Agitator: No

Complete Drainage: No, it is not.

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 25000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 5.414 mm

Internal diameter: 2.390 mm

Total Height: 6,830 mm

**Tjocklek på tank**

Bottom: 7 mm

Cylinder: 5 mm

Top: 7 mm

Mer

Isolated: No