

25000 liters tank in Acid-proof 316





215 000 SEK /st exkl moms

Article type: second-hand pressure tank

Volumetric volume (L): 25.000 L

Ra inner weld: 0,80

Pressure in tank: pressure

Max. pressure (Bar): 0,49 Bar

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: dished

Shape of tank: cylindrical

Bottom type: dished

Total discharge: yes

Fixation points: 5 adjustable feet

Manway(s): RVS 316

Gasket manway(s): unknown

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Height manhole 1 (mm): 450 mm x H 340 mm

Tank outlet: inside Ø 50 mm

Agitator: no, optional

Top: 3 mm

Cylinder: 2,50 mm



Bottom: 4 mm

Outer diameter tank: 2.605 mm

Cylinder height: 4.250 mm

Total height of tank: 5.600 mm

Empty weight tank: 1.800

SKU: 389414

Mer information

Product Description

Food-grade: Yes

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: single-skin

Mobile Tank: No, it is not.

Agitator: No

Overpressure: 0,49 bar

Ra Internal Weld: 0,80

Tank Shape: cylindrical

Complete Drainage: Yes

Bottom Type: dish

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 25000



Equipment

Product Dokument finns: No

Agitator flange: No

Nameplate: No, it is not.

Food-grade: Yes

Tank Outlet: inside Ø 50 mm

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Fixing point(s): RVS 304

Tank Dimensions

Cylinder Height: 4.250 mm

Total Height: 5.600 mm

Outer diameter: 2.605 mm

Tjocklek på tank

Bottom: 4 mm

Cylinder: 2,50 mm

Top: 3 mm

Mer

Isolated: No

Weight: 1.800