


## 25000 liters tank in Acid-proof 316



203 000 SEK /st exkl moms

**Additional information:** Pharmaceutical Chemistry; Floor frame made of stainless steel 304; wall thickness of lower cylinder half approx. 6 mm; manhole cover plated

**Volumetric volume (L):** 25.000 L

**Pressure in tank:** ATM - atmospheric

**Max. temperature (°C):** 50 °C



**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** available

**Top:** 5,80 mm

**Cylinder:** 5 mm

**Bottom:** 6,30 mm

**Internal diameter tank:** 2.400 mm

**Outer diameter tank:** 2.400 mm

**Cylinder height:** 5.400 mm

**Total height of tank:** 7.200 mm

**SKU:** 477547

## Mer information



## Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Max. Service Temperature: 50 °C

Mobile Tank: No, it is not.

Övrig information: Pharmaceutical Chemistry; Floor frame made of stainless steel 304; wall thickness of lower cylinder half approx. 6 mm; manhole cover plated

Agitator: No

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 25000

## Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

## Material Overview

Material: Acid-resistant 316

## Tank Dimensions

Cylinder Height: 5.400 mm

Internal diameter: 2,400 mm

Total Height: 7.200 mm

Outer diameter: 2,400 mm

**Tjocklek på tank**

Bottom: 6,30 mm

Cylinder: 5 mm

Top: 5,80 mm

**Mer**

Isolated: No