

25000 liters tank in Stainless 304





192 000 SEK /st exkl moms

Additional information: Pharmaceutical chemistry; At least one of the tanks comes with a functional electric trace heating equipment.; bump at the insulation jacket

Volumetric volume (L): 25.000 L

Pressure in tank: ATM - atmospheric

Max. temperature (°C): 50 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: available

Cylinder: 6 mm

Bottom: 6,90 mm

Internal diameter tank: 2.600 mm

Cylinder height: 4.530 mm

Total height of tank: 5.800 mm

SKU: 411104



Mer information

Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated

Max. Service Temperature: 50 °C

Mobile Tank: No, it is not.

Övrig information: Pharmaceutical chemistry ; At least one of the tanks comes with a functional electric trace heating equipment; bump at the insulation jacket

Agitator: No

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 25000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 4,530 mm

Internal diameter: 2.600 mm

Total Height: 5,800 mm

**Tjocklek på tank**

Bottom: 6.90 mm

Cylinder: 6 mm

Mer

Isolated: Yes