

25000 liters tank in Stainless 304



174 000 SEK /st exkl moms

Additional information: Fruit juice; Total height estimated (deviations possible); Wall thickness of the lowest cylinder segment: 3 mm

Volumetric volume (L): 25.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: 65

Top: 3 mm

Cylinder: 2,50 mm

Bottom: 4 mm

Internal diameter tank: 2.800 mm

Cylinder height: 3.500 mm

Total height of tank: 5.000 mm

SKU: 474587

Mer information

Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: Fruit juice; Total height estimated (deviations possible); Wall thickness of the lowest cylinder segment: 3 mm

Agitator: No

Complete Drainage: No, it is not.

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 25000



Equipment

Product Dokument finns: No

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 3.500 mm

Internal diameter: 2,800 mm

Total Height: 5,000 mm

Tjocklek på tank

Bottom: 4 mm

Cylinder: 2,50 mm

Top: 3 mm

Mer

Isolated: No