

25000 liters tank in Stainless 304



186 000 SEK /st exkl moms

Additional information: Double jacket by approx. 1,800 mm of the cylinder height; manhole approx. 410 x 510 mm; small dents in the vessel and in the insulating jacket; 1 sheet metal cut-out approx. 200 mm in the center of the upper bottom (see photos); some residues of previous content; pipe end cut flush

Volumetric volume (L): 25.000 L

Pressure in tank: ATM - atmospheric



Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: 80

Internal diameter tank: 2.690 mm

Outer diameter tank: 2.850 mm

Cylinder height: 4.400 mm

Total height of tank: 4.900 mm

SKU: 427169

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated with heat-exchanger

Mobile Tank: No, it is not.

Övrig information: Double jacket around approx. 1.800 mm of the cylinder height; Manhole approx. 410 x 510 mm; small dents in tank and insulating jacket; 1 sheet metal cutout approx. 200 mm in the middle of the upper

Additional Information2: bottom (see photos); some residues of previous content; pipe end cut flush; we can't give any guarantees about the heating/cooling jacket

Agitator: No

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 25000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 4,400 mm

Internal diameter: 2,690 mm

Total Height: 4,900 mm

Outer diameter: 2.850 mm

Mer

Isolated: Yes