

25000 liters tank in Stainless 304



131 000 SEK /st exkl moms

Article type: second-hand storage tank

Additional information: there is still a little glucose in it, we are going to clean this

Volumetric volume (L): 25.000 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no



Top type: conical

Shape of tank: cylindrical

Bottom type: conical

Bottom outlet: yes

Total discharge: yes

Fixation points: 6 adjustable feet

Manway(s): RVS 304

Gasket manway(s): unknown

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Height manhole 1 (mm): 440 mm x H 350 mm

Hinged lid: yes

Tank outlet: inside Ø 65 mm

Agitator: no

Internal diameter tank: 3.000 mm

Distance from outlet to ground: 260 mm

Outer diameter tank: 3.200 mm

Cylinder height: 3.730 mm

Total height of tank: 4.800 mm

Empty weight tank: 2.300

SKU: 417521



Mer information

Product Description

Food-grade: Yes

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank:

Configuration: insulated

Mobile Tank: No, it is not.

Övrig information: there is still a little glucose in it, we are going to clean this

Agitator: No

Tank Shape: cylindrical

Complete Drainage:

Bottom Type: conical

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 25000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Food-grade: Yes

Tank Outlet: inside Ø 65 mm

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Fixing point(s): RVS 304



Tank Dimensions

Cylinder Height: 3,730 mm

Internal diameter: 3,000 mm

Outlet Height to Ground: 260 mm

Total Height: 4,800 mm

Outer diameter: 3.200 mm

Mer

Isolated: Yes

Weight: 2.300